	L #	Hits	Search Text	DBs
1	L1	29389	encrypt$3 with key	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
2	L2	5107	1 and @ad<"19970326"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
3	L3	469829	(condition or restrict$3) with (use or using or usage or access$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
4	L4	716	2 and 3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
5	L5	2937777	content or (digtal near2 work) or file	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
6	L6	41240	5 with key	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
7	L7	12963	5 with encrypt$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
8	L8	189	6 and 7 and 4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
9	L9	49	reproduc$6 and 8	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
10	L10	2	8 and adminstrat$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
11	L11	301	4 and ((session or public or shar$3 or symmetric) near2 key)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
12	L12	275	11 not 9 not 10	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
13	L13	9369	6 with (transmit$4 or send$3 or deliver$4 or receiv$4 or request$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
14	L14	43	12 and 13	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
15	L15	78689	(reproduc$5 or packag$3) with 5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
16	L16	7	14 and 15	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB

read

read

read

	L #	Hits	Search Text	DBs
1	L1	2877	encrypt$3 near5 (content or work or file)	USPAT
2	L2	1004	1 and @ad<"19970326"	USPAT
3	L3	10979	encrypt$3 near5 (content or work or file)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
4	L4	1200	3 and @ad<"19970326"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
5	L5	3736345	(condition or restrict$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
6	L6	663	4 and 5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
7	L7	24979	encrypt$3 near3 key	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
8	L8	502	6 and 7	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
9	L9	2	8 and adminstrat$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
10	L10	415	8 and store	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
11	L12	1	8 and (electronic near5 shop)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

read (9)

read (11)

2/19/05, EAST Version: 2.0.1.4

	L #	Hits	Search Text	DBs
(12) *read*	L11	47	8 and (electronic near5 store)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
13	L13	10613	content near3 key	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
14	L14	3856	13 and @ad<"19970326"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
15	L15	152	1 and 14	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
16	L16	9630	request$3 near3 key	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
17	L17	33	15 and 16	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
(18) *read*	L18	27	17 not 11	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB